

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29CFR 1910.1200  
(HCS 2012)

<b>1133418</b>		<b>3292-2 Glaze Frit</b>	<b>BAG50LB</b>
Product specification	<b>RS_FP_307428</b>	Revision Date	<b>02/16/2023</b>
Version	<b>2.1</b>	Print Date	<b>02/17/2023</b>
Material number	<b>1133418</b>	Page	Page 1 of 11

## SECTION 1. IDENTIFICATION

Product name : **1133418**  
3292-2 Glaze Frit BAG50LB  
Product code : **1133418**

### Manufacturer or supplier's details

Company name of supplier : Vibrantz Corporation  
Address : 6060 Parkland Blvd. Suite 250  
Mayfield Heights OH 44124-4185  
Telephone : (216) 875-5600

### Emergency telephone number

In-Country Number : (800)424-9300  
CHEMTREC Global Number : +(1)-703-527-3887 (Call Collect)

### Recommended use of the chemical and restrictions on use

Recommended use : Industrial use  
Restrictions on use : Reserved for industrial and professional use.

## SECTION 2. HAZARDS IDENTIFICATION

### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

### GHS label elements

Not a hazardous substance or mixture.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance  
Chemical nature : glass/frit

### Components

No hazardous ingredients

## SECTION 4. FIRST AID MEASURES

General advice : Do not leave the victim unattended.

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29CFR 1910.1200  
(HCS 2012)

<b>1133418</b>		<b>3292-2 Glaze Frit</b>	<b>BAG50LB</b>
Product specification	<b>RS_FP_307428</b>	Revision Date	<b>02/16/2023</b>
Version	<b>2.1</b>	Print Date	<b>02/17/2023</b>
Material number	<b>1133418</b>	Page	Page 2 of 11

---

If inhaled	:	If unconscious, place in recovery position and seek medical advice.
In case of skin contact	:	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Induce vomiting immediately and call a physician. Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	:	None known.
Notes to physician	:	Treat symptomatically.

---

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire-fighting	:	Do not use a solid water stream as it may scatter and spread fire.
Hazardous combustion products	:	No hazardous combustion products are known
Further information	:	Standard procedure for chemical fires.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Avoid dust formation. Avoid breathing dust.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1133418</b>		<b>3292-2 Glaze Frit</b>	<b>BAG50LB</b>
Product specification	<b>RS_FP_307428</b>	Revision Date	<b>02/16/2023</b>
Version	<b>2.1</b>	Print Date	<b>02/17/2023</b>
Material number	<b>1133418</b>	Page	Page 3 of 11

If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Clean contaminated floors and objects thoroughly while observing environmental regulations.  
Keep in suitable, closed containers for disposal.

## SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : No special restrictions on storage with other products.  
No materials to be especially mentioned.

Further information on storage stability : Keep in a dry place.  
No decomposition if stored and applied as directed.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : Handle only in a place equipped with local exhaust (or other appropriate exhaust).

### Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1133418</b>		<b>3292-2 Glaze Frit</b>	<b>BAG50LB</b>
Product specification	<b>RS_FP_307428</b>	Revision Date	<b>02/16/2023</b>
Version	<b>2.1</b>	Print Date	<b>02/17/2023</b>
Material number	<b>1133418</b>	Page	Page 4 of 11

---

Hand protection : Wear protective gloves, for example: polyvinyl alcohol or nitrile-butyl-rubber gloves, or similar; Glove thickness: > 0.4 mm and Break Through time: > 480 minutes. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Before removing gloves clean them with soap and water.

Eye protection : Ensure that eyewash stations and safety showers are close to the workstation location.  
Tightly fitting safety goggles

Skin and body protection : Protective suit

Protective measures : Wear suitable protective equipment.

Hygiene measures : Wash hands before breaks and at the end of workday.  
Remove contaminated clothing and protective equipment before entering eating areas.  
Handle in accordance with good industrial hygiene and safety practice.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : white

Odour : odourless

Odour Threshold : No data available

pH : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Burning rate : No data available

Self-ignition : No data available

Upper explosion limit / Upper flammability limit : No data available

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29CFR 1910.1200  
(HCS 2012)

<b>1133418</b>		<b>3292-2 Glaze Frit</b>	<b>BAG50LB</b>
Product specification	<b>RS_FP_307428</b>	Revision Date	<b>02/16/2023</b>
Version	<b>2.1</b>	Print Date	<b>02/17/2023</b>
Material number	<b>1133418</b>	Page	Page 5 of 11

---

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Bulk density : No data available

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : not determined

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Refractive index : Not applicable

Volatile organic compounds (VOC) content : 0 %

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1133418</b>		<b>3292-2 Glaze Frit</b>	<b>BAG50LB</b>
Product specification	<b>RS_FP_307428</b>	Revision Date	<b>02/16/2023</b>
Version	<b>2.1</b>	Print Date	<b>02/17/2023</b>
Material number	<b>1133418</b>	Page	Page 6 of 11

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed. Dust may form explosive mixture in air.
Conditions to avoid	:	None, if used and stored as recommended.
Incompatible materials	:	Not applicable
Hazardous decomposition products	:	Stable under normal conditions.

---

## SECTION 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

inhalation (dust/mist/fume)

Skin

Eye contact

### Acute toxicity

Not classified based on available information.

### Product:

Acute oral toxicity : Acute toxicity estimate: 2,500 mg/kg  
Method: Calculation method

### Skin corrosion/irritation

Not classified based on available information.

### Serious eye damage/eye irritation

Not classified based on available information.

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

### Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1133418</b>		<b>3292-2 Glaze Frit</b>	<b>BAG50LB</b>
Product specification	<b>RS_FP_307428</b>	Revision Date	<b>02/16/2023</b>
Version	<b>2.1</b>	Print Date	<b>02/17/2023</b>
Material number	<b>1133418</b>	Page	Page 7 of 11

on OSHA's list of regulated carcinogens.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### **Reproductive toxicity**

Not classified based on available information.

### **STOT - single exposure**

Not classified based on available information.

### **STOT - repeated exposure**

Not classified based on available information.

### **Aspiration toxicity**

Not classified based on available information.

---

## **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

No data available

### **Persistence and degradability**

No data available

### **Bioaccumulative potential**

No data available

### **Mobility in soil**

No data available

### **Other adverse effects**

#### **Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : None known.

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

### **Disposal methods**

Waste from residues : Send to a licensed waste management company.  
Dispose of wastes in an approved waste disposal facility.  
Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1133418</b>		<b>3292-2 Glaze Frit</b>	<b>BAG50LB</b>
Product specification	<b>RS_FP_307428</b>	Revision Date	<b>02/16/2023</b>
Version	<b>2.1</b>	Print Date	<b>02/17/2023</b>
Material number	<b>1133418</b>	Page	Page 8 of 11

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### 49 CFR

Not regulated as a dangerous good

#### Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1133418</b>		<b>3292-2 Glaze Frit</b>	<b>BAG50LB</b>
Product specification	<b>RS_FP_307428</b>	Revision Date	<b>02/16/2023</b>
Version	<b>2.1</b>	Print Date	<b>02/17/2023</b>
Material number	<b>1133418</b>	Page	Page 9 of 11

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

## Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

## US State Regulations

### Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

### Pennsylvania Right To Know

This product contains components that are reportable under the regulation.

### Maine Chemicals of High Concern

Product does not contain any listed chemicals

### Vermont Chemicals of High Concern

Product does not contain any listed chemicals

### Washington Chemicals of High Concern

Product does not contain any listed chemicals

### New Jersey Right To Know

This product contains components that are reportable under the regulation.

## The components of this product are reported in the following inventories:

TCSI (Taiwan)	:	On the inventory, or in compliance with the inventory
TSCA (United States)	:	All substances listed as active on the TSCA inventory
AIRC (Australia)	:	On the inventory, or in compliance with the inventory
DSL/NDSL (Canada)	:	All components of this product are on the Canadian DSL
ENCS (Japan)	:	On the inventory, or in compliance with the inventory
ISHL (Japan)	:	On the inventory, or in compliance with the inventory
KECI (Korea)	:	On the inventory, or in compliance with the inventory
PICCS (Philippines)	:	On the inventory, or in compliance with the inventory
IECSC (China)	:	On the inventory, or in compliance with the inventory

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29CFR 1910.1200  
(HCS 2012)

<b>1133418</b>		<b>3292-2 Glaze Frit</b>	<b>BAG50LB</b>
Product specification	<b>RS_FP_307428</b>	Revision Date	<b>02/16/2023</b>
Version	<b>2.1</b>	Print Date	<b>02/17/2023</b>
Material number	<b>1133418</b>	Page	Page 10 of 11

NZIoC (New Zealand)	:	On the inventory, or in compliance with the inventory
SWISS (Switzerland)	:	On the inventory, or in compliance with the inventory
EINECS (European Union)	:	On the inventory, or in compliance with the inventory
CICR (Turkey)	:	On the inventory, or in compliance with the inventory
TECI (Thailand)	:	On the inventory, or in compliance with the inventory

## TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

# SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29CFR 1910.1200  
(HCS 2012)

<b>1133418</b>		<b>3292-2 Glaze Frit</b>	<b>BAG50LB</b>
Product specification	<b>RS_FP_307428</b>	Revision Date	<b>02/16/2023</b>
Version	<b>2.1</b>	Print Date	<b>02/17/2023</b>
Material number	<b>1133418</b>	Page	Page 11 of 11

---

Sources of key data used to compile the Safety Data Sheet : [1] Estudio de Evaluación de Riesgos de la Fritas Cerámicas, Universitat Jaume I, 2005[2] Modelling Study of Ceramic Frits Formulation for their Classification in REACH, Universtat Jaume I, 2009[3] 2009 Validity Assessment of the Exemption Dossier Cera

Revision Date : 02/16/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN